CANADIAN GEOTECHNICAL JOURNAL

REVUE CANADIENNE DE GÉOTECHNIQUE

VOLUME 19, 1982

Author Index / Index des auteurs

Anderson, W.F., Hanna, T.H., Ponniah, D.A., and Shah, S.A. Laboratory-scale tests on anchored retaining walls supporting backfill with surface loading, 213.

Baker, R., see Leshchinsky, D., 345.

Baker, T.H.W., Davis, J.L., Hayhoe, H.N., and Topp, G.C. Locating the frozen–unfrozen interface in soils using time-domain reflectometry, 511.

Beatty, B.W., see McOmber, R.M., 239.

Beisser, E.M.J., see Quigley, R.M., 508.

Byrne, P.M., see Khilnani, K.S., 63.

Capozio, N.U., Ouimet, J.M., and Dupuis, M.M Geotechnical problems related to the building of a tailings dam on sensitive varved clay, 472.

Cargill, K.W., see Gibson, R.E., 116.

Chapuis, R.P. New stability method for embankments on clay foundations, 44.

Charles, R.D., see Demars, K.R., 188.

Cherry, J.A., see Morin, K.A., 49.

Cherry, J.A., see Reynolds, W.D., 92.

Davis, J.L., see Baker, T.H.W., 511.

Delage, P., Tessier, D., and Marcel-Audiguier, M. Use of the Cryoscan apparatus for observation of freeze-fractured planes of a sensitive Quebec clay in scanning electron microscopy, 111.

Demars, K.R., and Charles, R.D. Soil volume changes induced by temperature cycling, 188.

Dupuis, M.M, see Capozio, N.U., 472.

Dusseault, M.B., and Simmons, J.V. Injection-induced stress and fracture orientation changes, 483.

Eisenstein, Z., see Thomson, S., 175.

Evans, S.G. Landslides and surficial deposits in urban areas of British Columbia: A review, 269.

Folkes, D.J. Fifth Canadian Geotechnical Colloquium: Control of contaminant migration by the use of liners, 320.

Frydman, S., see Leshchinsky, D., 345.

Ghali, E. Précis de corrosion: critique de livre, 530.

Gibson, R.E., Schiffman, R.L., and Cargill, K.W. The theory of one-dimensional consolidation of saturated clays: Reply, 116.

Gillham, R.W., see Reynolds, W.D., 92.

Goodrich, L.E. The influence of snow cover on the ground thermal regime, 421.

Graham, J., Pinkney, R.B., Lew, K.V., and Trainor, P.G.S. Curve-fitting and laboratory data, 201.

Grattan-Bellew, P.E., and McRostie, G.C. Evaluation of heave prevention methods for floors founded on shale in the Ottawa Region, 108.

Hanna, A.M. Bearing capacity of foundations on a weak sand layer overlying a strong deposit, 392.

Hanna, T.H., see Anderson, W.F., 213.

Hanrahan, E.T. The theory of one-dimensional consolidation of saturated clays: Discussion, 115.

Harrison, C.M.T., see VanDine, D.F., 194.

Hayhoe, H.N., see Baker, T.H.W., 511.

Hewitt, K.J., see Kaiser, P.K., 139.

Inculet, I.I., see Quigley, R.M., 508.

Ismael, N.F. Design of shallow rock-anchored foundations, 463.

Journeaux, N.L., see Rosenberg, P., 232.

Kaiser, P.K., and Hewitt, K.J. The effect of groundwater flow on the stability and design of retained excavations, 139.

Khilnani, K.S., Byrne, P.M., Yeung, K.K. Seismic stability of the Revelstoke earthfill dam, 63.

Konrad, J.-M., and Morgenstern, N.R. Prediction of frost heave in the laboratory during transient freezing, 250.

Konrad, J.-M., and Morgenstern, N.R. Effects of applied pressure on freezing soils, 494.

Koo, Y.C. Relict joints in completely decomposed volcanics in Hong Kong, 117.
Koo, Y.C. The mass strength of jointed residual soils, 225.
Koppula, S.D., and Morgenstern, N.R. On the consolidation of sedimenting clays, 260.
Kuhlemeyer, R.L. Dynamic response curves for vertically loaded floating pile foundations: Reply, 208.
Lafleur, J., Lefebvre, G., Marcotte, M., and Silvestri, V. Shear strength of the weathered Champlain clay measured in a large diameter triaxial test, 413.
Larkin, T.J., and Taylor, P.W. A further comparison of shear-wave velocities, 506.
La Rochelle, P., see Pilot, G., 433.
La Rochelle, P., see Roy, M., 124.
La Rochelle, P., see Roy, M., 180.
Lefebvre, G., see Lafleur, J., 413.
Leshchinsky, D., Frydman, S., and Baker, R. Study of beam–soil interaction using finite element and centrifugal models, 345.
Lew, K.V., see Graham, J., 201.
Liang, W., see Lin, Z., 76.
Lidgren, R.A., and Sauer, E.K. The Gronlid crossing, Saskatchewan Provincial Highway No. 6 at the Saskatchewan River, 360.
Lim, T.P., see Morin, K.A., 49.
Lin, Z., and Liang, W. Engineering properties and zoning of loess and loess-like soils in China, 76.
Lo, K.Y., and Wai, R.S.C. Thermal expansion, diffusivity, and cracking of rock cores from Darlington, Ontario, 154.
Lo, K.Y., see Wai, R.S.C., 307.
Marcel-Audiguier, M., see Delage, P., 111.
Marcotte, M., see Lafleur, J., 413.
Martin, R.L., see Thomson, S., 175.
McClung, D.M. A one-dimensional analytical model for snow creep pressures on rigid structures, 401.
McOmber, R.M., Moore, C.A., and Beatty, B.W. Field evaluation of methane migration predictions, 239.
McRoberts, E. Permafrost: engineering, design and construction: Book Review, 211.
McRostie, G.C., see Grattan-Bellew, P.E., 108.
Mekechuk, J., see Thomson, S., 296.
Mirza, C. A case for the extension of the unified soil classification system, 388.
Mitchell, R.J., Olsen, R.S., and Smith, J.D. Model studies on cemented tailings used in mine backfill, 14.
Mitchell, R.J., and Wong, B.C. Behaviour of cemented tailings sands, 289.
Moore, C.A., see McOmber, R.M., 239.
Morgenstern, N.R., see Konrad, J.-M., 250.
Morgenstern, N.R., see Konrad, J.-M., 494.
Morgenstern, N.R., see Koppula, S.D., 260.
Morin, K.A., Cherry, J.A., Lim, T.P., and Vivyurka, A.J. Contaminant migration in a sand aquifer near an inactive uranium tailings impoundment, Elliot Lake, Ontario, 49.
Morlier, P., see Tenier, P., 396.
Morris, D.V. The centrifugal model testing of waste-heap embankments: Book Review, 210.
Nixon, J.F. Field frost heave predictions using the segregation potential concept, 526.
Novak, M. Dynamic response curves for vertically loaded floating pile foundations: Discussion, 206.
Olsen, R.S., see Mitchell, R.J., 14.
Ouimet, J.M., see Capozio, N.U., 472.
Parameswaran, V.R., and Roy, M. Strength and deformation of frozen saturated sand at −30°C, 104.
Pilot, G., Trak, B., and La Rochelle, P. Effective stress analysis of the stability of embankments on soft soils, 433.
Pinkney, R.B., see Graham, J., 201.
Ponniah, D.A., see Anderson, W.F., 213.
Pusch, R. Mineral–water interactions and their influence on the physical behavior of highly compacted Na bentonite, 381.
Pusch, R. Thixotropic stiffening of clay consolidated in the laboratory, 517.
Quigley, R.M., Inculet, I.I., and Beisser, E.M.J. Clay–coal charge transfer and beneficiation by dry mineral removal, 508.
Reynolds, W.D., Gillham, R.W., and Cherry, J.A. Evaluation of distribution coefficients for the prediction of strontium and cesium migration in a uniform sand, 92.
Robertson, P.K., see Sweeney, D.J., 521.
Roorda, J., Thompson, J.C., and White, O.L. The analysis and prediction of lateral instability in highly stressed, near-surface rock strata, 451.
Rosenberg, P., and Journeaux, N.L. Settlement limitations for cylindrical steel storage tanks, 232.
Rowe, R.K. The determination of rock mass modulus variation with depth for weathered or jointed rock, 29.
Rowe, R.K. Tunnelling history and my own involvement: Book Review
Roy, M., see Parameswaran, V.R., 104.
Roy, M., Tremblay, M., Tavenas, F., and La Rochelle, P. Development of pore pressures in quasi-static penetration tests in sensitive clay, 124.
Roy, M., Tremblay, M., Tavenas, F., and La Rochelle, P. Development of a quasistatic piezocone apparatus, 180.

Russell, D.J. Controls on shale durability: the response of two Ordovician shales in the slake durability test, 1.
Sauer, E.K., see Lidgren, R.A., 360.
Schiffman, R.L., see Gibson, R.E., 116.
Shah, S.A., see Anderson, W.F., 213.
Sidle, R.C., and Swanston, D.N. Analysis of a small debris slide in coastal Alaska, 167.
Silvestri, V., see Lafleur, J., 413.
Simmons, J.V., see Dusseault, M.B., 483.
Smith, J.D., see Mitchell, R.J., 14.
Swanston, D.N., see Sidle, R.C., 167.
Sweeney, D.J., and Robertson, P.K. Slope stability in residual soils in Hong Kong, 521.
Tavenas, F., see Roy, M., 124.
Tavenas, F., see Roy, M., 180.
Taylor, P.W., see Larkin, T.J., 506.
Tenier, P., et Morlier, P. Influence de surcharges concentrées sur la stabilité des talus, 396.
Tessier, D., see Delage, P., 111.
Thompson, J.C., see Roorda, J., 451.
Thomson, S., Martin, R.L., and Eisenstein, Z. Soft zones in the glacial till in downtown Edmonton, 175.
Thomson, S., and Mekechuk, J. A landslide in glacial lake clays in central British Columbia, 296.
Topp, G.C., see Baker, T.H.W., 511.
Trainor, P.G.S., see Graham, J., 201.
Trak, B., see Pilot, G., 433.
Tremblay, M., see Roy, M., 124.
Tremblay, M., see Roy, M., 180.
VanDine, D.F., and Harrison, C.M.T. Dolostone popouts in asphalt, Kingston, Ontario, 194.
Vivyurka A, J., see Morin, K.A., 49.
Wai, R.S.C., and Lo, K.Y. Temperature effects on strength and deformation behaviour of rocks in Southern Ontario, 307.
Wai, R.S.C., see Lo, K.Y., 154.
White, O.L., see Roorda, J., 451.
Wong, B.C., see Mitchell, R.J., 289.
Yeung, K.K., see Khilnani, K.S., 63.

CANADIAN GEOTECHNICAL JOURNAL

REVUE CANADIENNE DE GÉOTECHNIQUE

VOLUME 19, 1982

Subject Index / Index des matières[1]

A. General

02. *Historical Aspects*

Tunnelling history and my own involvement: Book Review. Rowe, R.K., 531.

04. *Textbooks, Handbooks, and Periodicals*

The centrifugal model testing of waste-heap embankments: Book Review. Morris, D.V., 210.

Permafrost: engineering, design and construction: Book Review. McRoberts, E., 211.

Précis de corrosion: critique de livre. Ghali, E., 530.

05. *Terminology*

A case for the extension of the unified soil classification system. Mirza, C., 388.

B. Geological and Environmental Aspects

01. *Formation of Soils and Rocks*

Relict joints in completely decomposed volcanics in Hong Kong. Koo, Y.C., 117.

03. *Mass Movements and Land Subsidence*

Analysis of a small debris slide in coastal Alaska. Sidle, R.C., and Swanston, D.N., 167.

On the consolidation of sedimenting clays. Koppula, S.D., and Morgenstern, N.R., 260.

Landslides and surficial deposits in urban areas of British Columbia: A review. Evans, S.G., 269.

05. *Climatic Conditions*

Analysis of a small debris slide in coastal Alaska. Sidle, R.C., and Swanston, D.N., 167.

A landslide in glacial lake clays in central British Columbia. Thomson, S., and Mekechuk, J., 296.

Slope stability in residual soils in Hong Kong. Sweeney, D.J., and Robertson, P.K., 521.

09. *Geomorphologic Aspects and Terrain Classification*

Engineering properties and zoning of loess and loess-like soils in China. Lin, Z., and Liang, W., 76.

10. *Mineralogical Aspects*

Controls on shale durability: the response of two Ordovician shales in the slake durability test. Russell, D.J., 1.

Evaluation of heave prevention methods for floors founded on shale in the Ottawa Region. Grattan-Bellew, P.E., and McRostie, G.C., 108.

Dolostone popouts in asphalt, Kingston, Ontario. VanDine, D.F., and Harrison, C.M.T., 194.

Clay–coal charge transfer and beneficiation by dry mineral removal. Quigley, R.M., Inculet, I.I., and Beisser, E.M.J., 508.

11. *Description of Regional Soil and Rock Conditions*

Soft zones in the glacial till in downtown Edmonton. Thomson, S., Martin, R.L., and Eisenstein, Z., 175.

Landslides and surficial deposits in urban areas of British Columbia: A review. Evans, S.G., 269.

The Gronlid crossing, Saskatchewan Provincial Highway No. 6 at the Saskatchewan River. Lidgren, R.A., and Sauer, E.K., 360.

[1]Based on the International Geotechnical Classification System (IGC) as revised in 1981.

12. *Other Environmental Aspects*
Evaluation of distribution coefficients for the prediction of strontium and cesium migration in a uniform sand. Reynolds, W.D., Gillham, R.W., and Cherry, J.A., 92.

C. Site Investigations

03. *Probings (Soundings)*
Development of pore pressures in quasi-static penetration tests in sensitive clay. Roy, M., Tremblay, M., Tavenas, F., and La Rochelle, P., 124.
Development of a quasistatic piezocone apparatus. Roy, M., Tremblay, M., Tavenas, F., and La Rochelle, P., 180.

05. *Boring Techniques and Equipment*
Shear strength of the weathered Champlain clay measured in a large diameter triaxial test. Lafleur, J., Lefebvre, G., Marcotte, M., and Silvestri, V., 413.

07. *Measurement of Field Conditions (incl. Post-Construction Monitoring)*
Contaminant migration in a sand aquifer near an inactive uranium tailings impoundment, Elliot Lake, Ontario. Morin, K.A., Cherry, J.A., Lim, T.P., and Vivyurka, A.J., 49.
Development of pore pressures in quasi-static penetration tests in sensitive clay. Roy, M., Tremblay, M., Tavenas, F., and La Rochelle, P., 124.
Development of a quasistatic piezocone apparatus. Roy, M., Tremblay, M., Tavenas, F., and La Rochelle, P., 180.
Field evaluation of methane migration predictions. McOmber, R.M., Moore, C.A., and Beatty, B.W., 239.
Effective stress analysis of the stability of embankments on soft soils. Pilot, G., Trak, B., and La Rochelle, P., 433.
Field frost heave predictions using the segregation potential concept. Nixon, J.F., 526.

09. *Presentation of Results*
Soft zones in the glacial till in downtown Edmonton. Thomson, S., Martin, R.L., and Eisenstein, Z., 175.
The Gronlid crossing, Saskatchewan Provincial Highway No. 6 at the Saskatchewan River. Lidgren, R.A., and Sauer, E.K., 360.
Geotechnical problems related to the building of a tailings dam on sensitive varved clay. Capozio, N.U., Ouimet, J.M., and Dupuis, M.M, 472.

D. Soil Properties: Laboratory and In-Situ Determinations

00. *General*
Curve-fitting and laboratory data. Graham, J., Pinkney, R.B., Lew, K.V., and Trainor, P.G.S., 201.

01. *Classification and Description of Soils*
Engineering properties and zoning of loess and loess-like soils in China. Lin, Z., and Liang, W., 76.
Landslides and surficial deposits in urban areas of British Columbia: A review. Evans, S.G., 269.
A case for the extension of the unified soil classification system. Mirza, C., 388.

02. *Physico-Chemical Properties*
Evaluation of distribution coefficients for the prediction of strontium and cesium migration in a uniform sand. Reynolds, W.D., Gillham, R.W., and Cherry, J.A., 92.
Mineral–water interactions and their influence on the physical behavior of highly compacted Na bentonite. Pusch, R., 381.
Clay–coal charge transfer and beneficiation by dry mineral removal. Quigley, R.M., Inculet, I.I., and Beisser, E.M.J., 508.
Précis de corrosion: critique de livre. Ghali, E., 530.

03. *Composition, Structure, Density, and Water Contents*
Engineering properties and zoning of loess and loess-like soils in China. Lin, Z., and Liang, W., 76.
Use of the Cryoscan apparatus for observation of freeze-fractured planes of a sensitive Quebec clay in scanning electron microscopy. Delage, P., Tessier, D., and Marcel-Audiguier, M., 111.
Relict joints in completely decomposed volcanics in Hong Kong. Koo, Y.C., 117.
The mass strength of jointed residual soils. Koo, Y.C., 225.
Mineral–water interactions and their influence on the physical behavior of highly compacted Na bentonite. Pusch, R., 381.
Shear strength of the weathered Champlain clay measured in a large diameter triaxial test. Lafleur, J., Lefebvre, G., Marcotte, M., and Silvestri, V., 413.
Thixotropic stiffening of clay consolidated in the laboratory. Pusch, R., 517.

04. *Hydraulic Properties*
Mineral–water interactions and their influence on the physical behavior of highly compacted Na bentonite. Pusch, R., 381.

05. *Compressibility and Swelling*
Engineering properties and zoning of loess and loess-like soils in China. Lin, Z., and Liang, W., 76.

Soil volume changes induced by temperature cycling. Demars, K.R., and Charles, R.D., 188.

06. *Shear-Deformation and Strength Properties*
Model studies on cemented tailings used in mine backfill. Mitchell, R.J., Olsen, R.S., and Smith, J.D., 14.
Strength and deformation of frozen saturated sand at − 30°C. Parameswaran, V.R., and Roy, M., 104.
Relict joints in completely decomposed volcanics in Hong Kong. Koo, Y.C., 117.
The mass strength of jointed residual soils. Koo, Y.C., 225.
Behaviour of cemented tailings sands. Mitchell, R.J., and Wong, B.C., 289.
Shear strength of the weathered Champlain clay measured in a large diameter triaxial test. Lafleur, J., Lefebvre, G., Marcotte, M., and Silvestri, V., 413.
Thixotropic stiffening of clay consolidated in the laboratory. Pusch, R., 517.
Slope stability in residual soils in Hong Kong. Sweeney, D.J., and Robertson, P.K., 521.

07. *Dynamic Properties*
Seismic stability of the Revelstoke earthfill dam. Khilnani, K.S., Byrne, P.M., Yeung, K.K., 63.
A further comparison of shear-wave velocities. Larkin, T.J., and Taylor, P.W., 506.

08. *Thermal Properties*
Strength and deformation of frozen saturated sand at − 30°C. Parameswaran, V.R., and Roy, M., 104.
Soil volume changes induced by temperature cycling. Demars, K.R., and Charles, R.D., 188.
Permafrost: engineering, design and construction: Book Review. McRoberts, E., 211.
Prediction of frost heave in the laboratory during transient freezing. Konrad, J.-M., and Morgenstern, N.R., 250.
Effects of applied pressure on freezing soils. Konrad, J.-M., and Morgenstern, N.R., 494.
Locating the frozen–unfrozen interface in soils using time-domain reflectometry. Baker, T.H.W., Davis, J.L., Hayhoe, H.N., and Topp, G.C., 511.

10. *Properties of Soil-Additive Mixtures*
Model studies on cemented tailings used in mine backfill. Mitchell, R.J., Olsen, R.S., and Smith, J.D., 14.
Behaviour of cemented tailings sands. Mitchell, R.J., and Wong, B.C., 289.

E. Analysis of Soil-Engineering Problems

02. *Deformation and Settlement Problems*
The theory of one-dimensional consolidation of saturated clays: Discussion. Hanrahan, E.T., 115.
The theory of one-dimensional consolidation of saturated clays: Reply. Gibson, R.E., Schiffman, R.L., and Cargill, K.W., 116.
Settlement limitations for cylindrical steel storage tanks. Rosenberg, P., and Journeaux, N.L., 232.
On the consolidation of sedimenting clays. Koppula, S.D., and Morgenstern, N.R., 260.

03. *Bearing Capacity of Shallow Foundations*
Bearing capacity of foundations on a weak sand layer overlying a strong deposit. Hanna, A.M., 392.

04. *Bearing Capacity of Piles and other Deep Foundations*
Dynamic response curves for vertically loaded floating pile foundations: Discussion. Novak, M., 206.
Dynamic response curves for vertically loaded floating pile foundations: Reply. Kuhlemeyer, R.L., 208.

05. *Earth Pressure Problems*
Laboratory-scale tests on anchored retaining walls supporting backfill with surface loading. Anderson, W.F., Hanna, T.H., Ponniah, D.A., and Shah, S.A., 213.

06. *Stability of Slopes and Excavations*
New stability method for embankments on clay foundations. Chapuis, R.P., 44.
Seismic stability of the Revelstoke earthfill dam. Khilnani, K.S., Byrne, P.M., Yeung, K.K., 63.
Analysis of a small debris slide in coastal Alaska. Sidle, R.C., and Swanston, D.N., 167.
The mass strength of jointed residual soils. Koo, Y.C., 225.
A landslide in glacial lake clays in central British Columbia. Thomson, S., and Mekechuk, J., 296.
Influence de surcharges concentrées sur la stabilité des talus. Tenier, P., Morlier, P., 396.
Shear strength of the weathered Champlain clay measured in a large diameter triaxial test. Lafleur, J., Lefebvre, G., Marcotte, M., and Silvestri, V., 413.
Effective stress analysis of the stability of embankments on soft soils. Pilot, G., Trak, B., and La Rochelle, P., 433.
Geotechnical problems related to the building of a tailings dam on sensitive varved clay. Capozio, N.U., Ouimet, J.M., and Dupuis, M.M, 472.
Slope stability in residual soils in Hong Kong. Sweeney, D.J., and Robertson, P.K., 521.

07. *Seepage and other Hydraulic Problems*

Contaminant migration in a sand aquifer near an inactive uranium tailings impoundment, Elliot Lake, Ontario. Morin, K.A., Cherry, J.A., Lim, T.P., and Vivyurka, A.J., 49.

Evaluation of distribution coefficients for the prediction of strontium and cesium migration in a uniform sand. Reynolds, W.D., Gillham, R.W., and Cherry, J.A., 92.

The effect of groundwater flow on the stability and design of retained excavations. Kaiser, P.K., and Hewitt, K.J., 139.

Field evaluation of methane migration predictions. McOmber, R.M., Moore, C.A., and Beatty, B.W., 239.

A landslide in glacial lake clays in central British Columbia. Thomson, S., and Mekechuk, J., 296.

Fifth Canadian Geotechnical Colloquium: Control of contaminant migration by the use of liners. Folkes, D.J., 320.

Injection-induced stress and fracture orientation changes. Dusseault, M.B., and Simmons, J.V., 483.

08. *Dynamic Problems*

Seismic stability of the Revelstoke earthfill dam. Khilnani, K.S., Byrne, P.M., Yeung, K.K., 63.

Dynamic response curves for vertically loaded floating pile foundations: Discussion. Novak, M., 206.

Dynamic response curves for vertically loaded floating pile foundations: Reply. Kuhlemeyer, R.L., 208.

09. *Frost Action and Heat-Transfer Problems*

Prediction of frost heave in the laboratory during transient freezing. Konrad, J.-M., and Morgenstern, N.R., 250.

The influence of snow cover on the ground thermal regime. Goodrich, L.E., 421.

Effects of applied pressure or freezing soils. Konrad, J.-M., and Morgenstern, N.R., 494.

Field frost heave predictions using the segregation potential concept. Nixon, J.F., 526.

12. *Soil-Structure Interaction*

Laboratory-scale tests on anchored retaining walls supporting backfill with surface loading. Anderson, W.F., Hanna, T.H., Ponniah, D.A., and Shah, S.A., 213.

Study of beam–soil interaction using finite element and centrifugal models. Leshchinsky, D., Frydman, S., and Baker, R., 345.

Effects of applied pressure on freezing soils. Konrad, J.-M., and Morgenstern, N.R., 494.

13. *Mathematical Methods, Computer Analysis*

Seismic stability of the Revelstoke earthfill dam. Khilnani, K.S., Byrne, P.M., Yeung, K.K., 63.

The theory of one-dimensional consolidation of saturated clays: Discussion. Hanrahan, E.T., 115.

The theory of one-dimensional consolidation of saturated clays: Reply. Gibson, R.E., Schiffman, R.L., and Cargill, K.W., 116.

The effect of groundwater flow on the stability and design of retained excavations. Kaiser, P.K., and Hewitt, K.J., 139.

Curve-fitting and laboratory data. Graham, J., Pinkney, R.B., Lew, K.V., and Trainor, P.G.S., 201.

Field evaluation of methane migration predictions. McOmber, R.M., Moore, C.A., and Beatty, B.W., 239.

On the consolidation of sedimenting clays. Koppula, S.D., and Morgenstern, N.R., 260.

Study of beam–soil interaction using finite element and centrifugal models. Leshchinsky, D., Frydman, S., and Baker, R., 345.

Influence de surcharges concentrées sur la stabilité des talus. Tenier, P., Morlier, P., 396.

The influence of snow cover on the ground thermal regime. Goodrich, L.E., 421.

Injection-induced stress and fracture orientation changes. Dusseault, M.B., and Simmons, J.V., 483.

14. *Model Test Analysis*

Model studies on cemented tailings used in mine backfill. Mitchell, R.J., Olsen, R.S., and Smith, J.D., 14.

The centrifugal model testing of waste-heap embankments: Book Review. Morris, D.V., 210.

Laboratory-scale tests on anchored retaining walls supporting backfill with surface loading. Anderson, W.F., Hanna, T.H., Ponniah, D.A., and Shah, S.A., 213.

Study of beam–soil interaction using finite element and centrifugal models. Leshchinsky, D., Frydman, S., and Baker, R., 345.

Bearing capacity of foundations on a weak sand layer overlying a strong deposit. Hanna, A.M., 392.

F. Rock Properties: Laboratory and In-Situ Determinations

02. *Physico-Chemical Properties*

Evaluation of heave prevention methods for floors founded on shale in the Ottawa Region. Grattan-Bellew, P.E., and McRostie, G.C., 108.

03. *Composition, Density, and Structural Features*

Controls on shale durability: the response of two Ordovician shales in the slake durability test. Russell, D.J., 1.

Thermal expansion, diffusivity, and cracking of rock cores from Darlington, Ontario. Lo, K.Y., and Wai, R.S.C., 154.

Temperature effects on strength and deformation behaviour of rocks in Southern Ontario. Wai, R.S.C., and Lo, K.Y., 307.

05. *Compressibility and Swelling*

Evaluation of heave prevention methods for floors founded on shale in the Ottawa Region. Grattan-Bellew, P.E., and McRostie, G.C., 108.

06. *Shear-Deformation and Strength Properties*
The determination of rock mass modulus variation with depth for weathered or jointed rock. Rowe, R.K., 29.
Temperature effects on strength and deformation behaviour of rocks in Southern Ontario. Wai, R.S.C., and Lo, K.Y., 307.
The analysis and prediction of lateral instability in highly stressed, near-surface rock strata. Roorda, J., Thompson, J.C., and White, O.L., 451.
Design of shallow rock-anchored foundations. Ismael, N.F., 463.

08. *Thermal Properties*
Thermal expansion, diffusivity, and cracking of rock cores from Darlington, Ontario. Lo, K.Y., and Wai, R.S.C., 154.
Temperature effects on strength and deformation behaviour of rocks in Southern Ontario. Wai, R.S.C., and Lo, K.Y., 307.

G. Analysis of Rock-Engineering Problems

02. *Deformation and Displacement Problems*
The determination of rock mass modulus variation with depth for weathered or jointed rock. Rowe, R.K., 29.

03. *Bearing Capacity of Rock Masses*
Design of shallow rock-anchored foundations. Ismael, N.F., 463.

12. *Rock-Structure-Interaction*
The analysis and prediction of lateral instability in highly stressed, near-surface rock strata. Roorda, J., Thompson, J.C., and White, O.L., 451.
Design of shallow rock-anchored foundations. Ismael, N.F., 463.

13. *Mathematical Methods, Computer Analysis*
The analysis and prediction of lateral instability in highly stressed, near-surface rock strata. Roorda, J., Thompson, J.C., and White, O.L., 451.

H. Design, Construction, and Behaviour of Engineering Works

01. *Foundations of Structures (other than dams)*
Dynamic response curves for vertically loaded floating pile foundations: Discussion. Novak, M., 206.
Dynamic response curves for vertically loaded floating pile foundations: Reply. Kuhlemeyer, R.L., 208.
Settlement limitations for cylindrical steel storage tanks. Rosenberg, P., and Journeaux, N.L., 232.

02. *Retaining Structures and Cut-off Walls*
The effect of groundwater flow on the stability and design of retained excavations. Kaiser, P.K., and Hewitt, K.J., 139.
Laboratory-scale tests on anchored retaining walls supporting backfill with surface loading. Anderson, W.F., Hanna, T.H., Ponniah, D.A., and Shah, S.A., 213.

04. *Dams and Reservoirs*
Fifth Canadian Geotechnical Colloquium: Control of contaminant migration by the use of liners. Folkes, D.J., 320.
Geotechnical problems related to the building of a tailings dam on sensitive varved clay. Capozio, N.U., Ouimet, J.M., and Dupuis, M.M, 472.

05. *Tunnels and Underground Openings*
Tunnelling history and my own involvement: Book Review. Rowe, R.K., 531.

06. *Roads, Railroads and Airfields*
Dolostone popouts in asphalt, Kingston, Ontario. VanDine, D.F., and Harrison, C.M.T., 194.
A landslide in glacial lake clays in central British Columbia. Thomson, S., and Mekechuk, J., 296.
The Gronlid crossing, Saskatchewan Provincial Highway No. 6 at the Saskatchewan River. Lidgren, R.A., and Sauer, E.K., 360.

09. *Slopes and Unsupported Excavations*
The Gronlid crossing, Saskatchewan Provincial Highway No. 6 at the Saskatchewan River. Lidgren, R.A., and Sauer, E.K., 360.
Effective stress analysis of the stability of embankments on soft soils. Pilot, G., Trak, B., and La Rochelle, P., 433.

K. Construction Methods and Equipment

00. *General*
Tunnelling history and my own involvement: Book Review. Rowe, R.K., 531.

M. Materials of Construction

01. *Steel*
Précis de corrosion: critique de livre. Ghali, E., 530.

04. *Plastics and Similar Materials*
Fifth Canadian Geotechnical Colloquium: Control of contaminant migration by the use of liners. Folkes, D.J., 320.

S. Snow and Ice Mechanics and Engineering

01. *Snow and Ice Cover*
The influence of snow cover on the ground thermal regime. Goodrich, L.E., 421.

02. *Properties of Snow and Ice*
A one-dimensional analytical model for snow creep pressures on rigid structures. McClung, D.M., 401.

03. *Snow and Ice Engineering*
A one-dimensional analytical model for snow creep pressures on rigid structures. McClung, D.M., 401.

T. Related Disciplines

02. *Geosciences*
Use of the Cryoscan apparatus for observation of freeze-fractured planes of a sensitive Quebec clay in scanning electron microscopy. Delage, P., Tessier, D., and Marcel-Audiguier, M., 111.

06. *Civil Engineering*
Settlement limitations for cylindrical steel storage tanks. Rosenberg, P., and Journeaux, N.L., 232.

07. *Mining Engineering and Ore Prospecting*
Model studies on cemented tailings used in mine backfill. Mitchell, R.J., Olsen, R.S., and Smith, J.D., 14.
Behaviour of cemented tailings sands. Mitchell, R.J., and Wong, B.C., 289.

09. *Electrical Engineering*
Clay–coal charge transfer and beneficiation by dry mineral removal. Quigley, R.M., Inculet, I.I., and Beisser, E.M.J., 508.
Locating the frozen–unfrozen interface in soils using time-domain reflectometry. Baker, T.H.W., Davis, J.L., Hayhoe, H.N., and Topp, G.C., 511.

14. *Environmental Problems and Nature Conservation*
Contaminant migration in a sand aquifer near an inactive uranium tailings impoundment, Elliot Lake, Ontario. Morin, K.A., Cherry, J.A., Lim, T.P., and Vivyurka, A.J., 49.
Evaluation of distribution coefficients for the prediction of strontium and cesium migration in a uniform sand. Reynolds, W.D., Gillham, R.W., and Cherry, J.A., 92.
Field evaluation of methane migration predictions. McOmber, R.M., Moore, C.A., and Beatty, B.W., 239.
Fifth Canadian Geotechnical Colloquium: Control of contaminant migration by the use of liners. Folkes, D.J., 320.
Mineral–water interactions and their influence on the physical behavior of highly compacted Na bentonite. Pusch, R., 381.

15. *Oil Prospecting*
Injection-induced stress and fracture orientation changes. Dusseault, M.B., and Simmons, J.V., 483.

Canadian Geotechnical Journal

Revue canadienne de géotechnique

Volume 19 • 1982

Editor R. M. QUIGLEY **Directeur scientifique**

Assistant to the Editor E. MILLIKEN **Adjointe au directeur scientifique**

Associate Editors/Directeurs scientifiques associés

M. BOZOZUK
J.-Y. CHAGNON
J. I. CLARK
Z. EISENSTEIN
M. GARNEAU
J. GRAHAM
T. C. KENNEY
D. R. MCCREATH
J. F. NIXON
D. READES
W. D. ROGGENSACK
P. G. SLY
R. N. YONG

PUBLISHING DEPARTMENT
at the National Research Council of Canada

SERVICE DE PUBLICATION
du Conseil national de recherches du Canada

Editor-in-chief C. T. BISHOP **Directeur général**
Assistant Editor-in chief P. A. REDHEAD **Directeur général adjoint**
Manager G. H. M. ADAMS **Directrice administrative**
Publishing Supervisor S. E. JENNESS **Préposé de la publication**
Senior Publication Officer F. M. KAVCIC **Agent supérieur à la publication**
Publication Officer E. ROLFE **Agent à la publication**

Published by the
National Research Council
of Canada

Publiée par le
Conseil national de recherches
du Canada

CONTENTS/SOMMAIRE

FEBRUARY/FÉVRIER

Instructions to authors iii

Recommandations aux auteurs v

ARTICLES

D. J. Russell Controls on shale durability: the response of two Ordovician shales in the slake durability test 1

Robert J. Mitchell, Richard S. Olsen, and John D. Smith Model studies on cemented tailings used in mine backfill 14

R. K. Rowe The determination of rock mass modulus variation with depth for weathered or jointed rock 29

Robert P. Chapuis New stability method for embankments on clay foundations 44

K. A. Morin, J. A. Cherry, T. P. Lim, and A. J. Vivyurka Contaminant migration in a sand aquifer near an inactive uranium tailings impoundment, Elliot Lake, Ontario 49

K. S. Khilnani, P. M. Byrne, and K. K. Yeung Seismic stability of the Revelstoke earthfill dam 63

Zaiguan Lin and Weiming Liang Engineering properties and zoning of loess and loess-like soils in China 76

W. D. Reynolds, R. W. Gillham, and J. A. Cherry Evaluation of distribution coefficients for the prediction of strontium and cesium migration in a uniform sand 92

TECHNICAL NOTES/NOTES TECHNIQUES

V. R. Parameswaran and M. Roy Strength and deformation of frozen saturated sand at −30°C 104

P. E. Grattan-Bellew and G. C. McRostie Evaluation of heave prevention methods for floors founded on shale in the Ottawa Region 108

Pierre Delage, Daniel Tessier, and Martine Marcel-Audiguier Use of the Cryoscan apparatus for observation of freeze-fractured planes of a sensitive Quebec clay in scanning electron microscopy 111

DISCUSSIONS

E. T. Hanrahan The theory of one-dimensional consolidation of saturated clays: Discussion 115

R. E. Gibson, R. L. Schiffman, and K. W. Cargill The theory of one-dimensional consolidation of saturated clays: Reply 116

MAY/MAI

ARTICLES

Y. C. Koo Relict joints in completely decomposed volcanics in Hong Kong 117

Marius Roy, Michel Tremblay, François Tavenas, and Pierre La Rochelle Development of pore pressures in quasi-static penetration tests in sensitive clay 124

P. K. Kaiser and K. J. Hewitt The effect of groundwater flow on the stability and design of retained excavations 139

K. Y. Lo and R. S. C. Wai Thermal expansion, diffusivity, and cracking of rock cores from Darlington, Ontario 154

R. C. Sidle and D. N. Swanston Analysis of a small debris slide in coastal Alaska 167

TECHNICAL NOTES/NOTES TECHNIQUES

S. Thomson, R. L. Martin, and Z. Eisenstein Soft zones in the glacial till in downtown Edmonton 175

Marius Roy, Michel Tremblay, François Tavenas, and Pierre La Rochelle Development of a quasi-static piezocone apparatus 180

K. R. Demars and R. D. Charles Soil volume changes induced by temperature cycling 188

D. F. VanDine and C. M. Truax Harrison Dolostone popouts in asphalt, Kingston, Ontario 194
J. Graham, R. B. Pinkney, K. V. Lew, and P. G. S. Trainor Curve-fitting and laboratory data 201

DISCUSSIONS
M. Novak Dynamic response curves for vertically loaded floating pile foundations: Discussion 206
R. L. Kuhlemeyer Dynamic response curves for vertically loaded floating pile foundations: Reply 208

BOOK REVIEWS/CRITIQUES DE LIVRES
Derek V. Morris The centrifugal model testing of waste-heap embankments 210
E. McRoberts Permafrost: engineering, design and construction 211

AUGUST/AOÛT

ARTICLES
W. F. Anderson, T. H. Hanna, D. A. Ponniah, and S. A. Shah Laboratory-scale tests on anchored retaining walls supporting backfill with surface loading 213
Y. C. Koo The mass strength of jointed residual soils 225
Peter Rosenberg and Noël L. Journeaux Settlement limitations for cylindrical steel storage tanks 232
Ronald M. McOmber, Charles A. Moore, and Brian W. Beatty Field evaluation of methane migration predictions 239
J.-M. Konrad and N. R. Morgenstern Prediction of frost heave in the laboratory during transient freezing 250
S. D. Koppula and N. R. Morgenstern On the consolidation of sedimenting clays 260
S. G. Evans Landslides and surficial deposits in urban areas of British Columbia: A review 269
R. J. Mitchell and B. C. Wong Behaviour of cemented tailings sands 289
S. Thomson and John Mekechuk A landslide in glacial lake clays in central British Columbia 296
Raymond S. C. Wai and K. Y. Lo Temperature effects on strength and deformation behaviour of rocks in Southern Ontario 307
David J. Folkes Fifth Canadian Geotechnical Colloquium: Control of contaminant migration by the use of liners 320
D. Leshchinsky, S. Frydman, and R. Baker Study of beam–soil interaction using finite element and centrifugal models 345
R. A. Lidgren and E. Karl Sauer The Gronlid crossing, Saskatchewan Provincial Highway No. 6 at the Saskatchewan River 360
Roland Pusch Mineral–water interactions and their influence on the physical behavior of highly compacted Na bentonite 381

TECHNICAL NOTES/NOTES TECHNIQUES
Cameran Mirza A case for the extension of the unified soil classification system 388
A. M. Hanna Bearing capacity of foundations on a weak sand layer overlying a strong deposit 392
Pierre Tenier et Pierre Morlier Influence de surcharges concentrées sur la stabilité des talus 396

NOVEMBER/NOVEMBRE

ARTICLES
David M. McClung A one-dimensional analytical model for snow creep pressures on rigid structures 401
J. Lafleur, G. Lefebvre, M. Marcotte, and V. Silvestri Shear strength of the weathered Champlain clay measured in a large diameter triaxial test 413
L. E. Goodrich The influence of snow cover on the ground thermal regime 421
G. Pilot, B. Trak, and P. La Rochelle Effective stress analysis of the stability of embankments on soft soils 433

J. Roorda, J. C. Thompson, and O. L. White The analysis and prediction of lateral instability in highly stressed, near-surface rock strata 451
Nabil F. Ismael Design of shallow rock-anchored foundations 463
N. U. Capozio, J. M. Ouimet, and M. M. Dupuis Geotechnical problems related to the building of a tailings dam on sensitive varved clay 472
Maurice B. Dusseault and John V. Simmons Injection-induced stress and fracture orientation changes 483
J.-M. Konrad and N. R. Morgenstern Effects of applied pressure on freezing soils 494

TECHNICAL NOTES/NOTES TECHNIQUES
T. J. Larkin and P. W. Taylor A further comparison of shear-wave velocities 506
Robert M. Quigley, Ion, I. Inculet, and Ernest M. J. Beisser Clay–coal charge transfer and beneficiation by dry mineral removal 508
T. H. W. Baker, J. L. Davis, H. N. Hayhoe, and G. C. Topp Locating the frozen–unfrozen interface in soils using time-domain reflectometry 511
Roland Pusch Thixotropic stiffening of clay consolidated in the laboratory 517
D. J. Sweeney and P. K. Robertson Slope stability in residual soils in Hong Kong 521
John F. Nixon Field frost heave predictions using the segregation potential concept 526

BOOK REVIEWS/CRITIQUES DE LIVRES
Edward Ghali Précis de corrosion 530
R. K. Rowe Tunnelling history and my own involvement 531

Author index for Volume 19/Index des auteurs pour volume 19 **AI-1**
Subject index for Volume 19/Index des matières pour volume 19 **SI-1**
Note of appreciation/Note de reconnaissance **i**
Contents for Volume 19/Sommaire pour volume 19 **v**